NSN 4310-00-069-1975

Reciprocating Compressor Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-069-1975 **Compressor Quantity: Duty Cycle In Percent:** 100 **Gas For Which Designed:** Air **Discharge Flow Rate:** 5.500 cubic feet per minute **Discharge Pressure:** 175.000 pounds per square inch gage **Cooling System Design:** Single **Compressed Gas Cooling Medium: Compressor Cooling Medium: Prime Mover Cooling Medium:** Air **Gas Cooling Equipment Type:** Air type aftercooler and air type intercooler **Unloader Type:** Automatic **Mounting Type:** Horizontal tank **Reciprocating Compressor Design:** Single acting **Cylinder Quantity: Cylinder Arrangement Style:** Vertical design Stage Quantity: **Receiver Tank Capacity: Compressor Speed At Rated Capacity In Rpm:**

8.00 cubic feet 530.0 **Intake Connection Quantity:** 1 **Intake Connection Type:** Threaded female **Discharge Connection Quantity:** 1

NSN 4310-00-069-1975

Reciprocating Compressor Unit - Page 2 of 2



Discharge Connection Type:
Threaded female
Silencer Type:
Inlet
Prime Mover Type:
Electric motor
Control Device Type:
Automatic start-stop
Safety Device Type:
Relief valve
Features Provided:
Heating equipment and fungus resistant treatment
Current Type And Rating In Amps:
3.3 ac and 6.5 ac
Voltage In Volts And Current Type:
208.0 ac or 440.0 ac
Tempurature Rating Per Function:
31.0 degrees celsius operating
Brake Power Required:
2.0 horsepower
Phase:
Three
Frequency In Hertz:
60.0
Specification Or Standard:
1 type and 1 style and 1 class and 5 cfm at 175 psi size
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A026a0