Reciprocating Compressor Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-122-6070

| Compressor Quantity:                       |  |
|--|--|
| 1  |  |
| Duty Cycle In Percent:                     |  |
| 100  |  |
| Gas For Which Designed:                    |  |
| Refrigerant r-12                           |  |
| Discharge Pressure:                        |  |
| 126.600 pounds per square inch gage        |  |
| Cooling System Design:                     |  |
| Mixed                                      |  |
| Compressed Gas Cooling Medium:             |  |
| Salt water                                 |  |
| Compressor Cooling Medium:                 |  |
| Refrigerant                                |  |
| Prime Mover Cooling Medium:                |  |
| Air  |  |
| Unloader Type:                             |  |
| Automatic                                  |  |
| Mounting Type:                             |  |
| Base                                       |  |
| Reciprocating Compressor Design:           |  |
| Single acting                              |  |
| Cylinder Quantity:                         |  |
| 6  |  |
| Cylinder Arrangement Style:                |  |
| "w" design                                 |  |
| Stage Quantity:                            |  |
| 1  |  |
| Compressor Speed At Rated Capacity In Rpm: |  |
| 1580.0                                     |  |
| Intake Connection Quantity:                |  |
| 1  |  |
| Intake Connection Type:                    |  |
| Square flange                              |  |
| Discharge Connection Quantity:             |  |
| 1  |  |
| Discharge Connection Type:                 |  |
| Square flange                              |  |
| Prime Mover Type:                          |  |
| Electric motor                             |  |
| Control Device Type:                       |  |
| Automotive speed regulator                 |  |
|  |  |



| Safety Device Type:                |
|------------------------------------|
| Low pressure oil shutdown switch   |
| Current Type And Rating In Amps:   |
| 19.7 ac                            |
| Voltage In Volts And Current Type: |
| 440.0 ac                           |
| Tempurature Rating Per Function:   |
| 105.0 degrees fahrenheit discharge |
| Brake Power Required:              |
| 7.0 horsepower                     |
| Phase:                             |
| Three                              |
| Frequency In Hertz:                |
| 60.0                               |
| Shelf Life:                        |
| N/a                                |
| Unit Of Measure:                   |
|                                    |
| Demilitarization:                  |
| No                                 |
| Fiig:                              |
| A026a0                             |
|                                    |