NSN 4310-00-167-9875

Cross Sectional Shape:

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-167-9875

Flat type
Fabrication Method:
Cast
Shaft Connecting End Style:
Press sleeve
End Thickness:
0.875 inches
Edge Radius:
0.840 inches
End Hole Inside Diameter:
1.000 inches
Piston Connecting End Bearing:
Included
Bearing Replaceability:
Nonreplaceable
Piston Connecting End Lubrication Drill Feature:
Included
Piston Connecting End Lubrication Method:
Splash
Shaft Connecting End Bearing:
Included
Shaft Connecting End Hole Inside Diameter:
1.750 inches
Shaft Connecting End Edge Radius:
1.220 inches
Shaft Connecting End Thickness:
0.860 inches
Shaft Connecting End Bearing Replaceability:
Nonreplaceable
Shaft Connecting End Lubrication Drill Feature:
Included
Shaft Connecting End Lubrication Method:
Splash
Center To Center Effective Length:
7.625 inches
Body Width At Piston Connecting End:
0.800 inches
Body Width At Shaft Connecting End:
1.100 inches
Body Thickness At Piston Connecting End:
0.420 inches

NSN 4310-00-167-9875

Piston Connecting Rod - Page 2 of 2



Body Thickness At Shaft Connecting End: 0.420 inches Piston End Connection Style: Small engine and automotive standard Material: Bronze Material: Copper alloy Shelf Life: N/a Unit Of Measure: - Demilitarization:

No **Fiig:** T267-d