NSN 4310-00-363-4030

Cross Sectional Shape:

Shaft Connecting End Style:

Fabrication Method:

I-section type

2 bolt sleeved End Thickness:

Forged

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-363-4030

| 1.500 inches |
|--|
| Edge Radius: |
| 1.625 inches |
| End Hole Inside Diameter: |
| 2.000 inches |
| Piston Connecting End Bearing: |
| Included |
| Bearing Replaceability: |
| Replaceable |
| Piston Connecting End Lubrication Drill Feature: |
| Included |
| Piston Connecting End Lubrication Method: |
| Splash |
| Shaft Connecting End Bearing: |
| Included |
| Shaft Connecting End Hole Inside Diameter: |
| 3.000 inches |
| Shaft Connecting End Edge Radius: |
| 3.125 inches |
| Shaft Connecting End Width: |
| 4.625 inches |
| Shaft Connecting End Thickness: |
| 1.125 inches |
| Shaft Connecting End Bearing Replaceability: |
| Replaceable |
| Shaft Connecting End Lubrication Drill Feature: |
| Included |
| Shaft Connecting End Lubrication Method: |
| Splash |
| Center To Center Effective Length: |
| 10.500 inches |
| Body Width At Piston Connecting End: |
| 1.937 inches |
| Body Width At Shaft Connecting End: |
| 2.125 inches |
| |
| |

NSN 4310-00-363-4030

Piston Connecting Rod - Page 2 of 2



| Body Thickness At Piston Connecting End: |
|---|
| 0.937 inches |
| Body Thickness At Shaft Connecting End: |
| 0.968 inches |
| Piston End Connection Style: |
| Small engine and automotive standard |
| Material: |
| Steel |
| Material: |
| Steel |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: T267-d