NSN 4310-00-374-9511

Cross Sectional Shape:

Shaft Connecting End Style:

Automotive standard split bearing 2 bolt

Fabrication Method:

I-section type

Any acceptable

End Thickness:

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-374-9511

| 0.980 inches |
|--|
| Edge Radius: |
| 0.758 inches |
| End Hole Inside Diameter: |
| 0.875 inches |
| Piston Connecting End Bearing: |
| Included |
| Bearing Replaceability: |
| Replaceable |
| Piston Connecting End Lubrication Drill Feature: |
| Not included |
| Piston Connecting End Lubrication Method: |
| Splash |
| Shaft Connecting End Bearing: |
| Included |
| Shaft Connecting End Hole Inside Diameter: |
| 1.375 inches |
| Shaft Connecting End Edge Radius: |
| 1.013 inches |
| Shaft Connecting End Width: |
| 2.765 inches |
| Shaft Connecting End Thickness: |
| 0.989 inches |
| Shaft Connecting End Bearing Replaceability: |
| Replaceable |
| Shaft Connecting End Lubrication Drill Feature: |
| Not included |
| Shaft Connecting End Lubrication Method: |
| Forced-feed |
| Center To Center Effective Length: |
| Between 5.592 inches and 5.593 inches |
| Body Width At Piston Connecting End: |
| |

Body Width At Shaft Connecting End:

1.080 inches

NSN 4310-00-374-9511Piston Connecting Rod - Page 2 of 2



| Body Thickness At Piston Connecting End: |
|---|
| 0.665 inches |
| Body Thickness At Shaft Connecting End: |
| 0.665 inches |
| Piston End Connection Style: |
| Small engine and automotive standard |
| Criticality Code Justification: |
| Feat |
| Special Features: |
| Weapon system essential |
| Material: |
| Steel |
| Material: |
| Steel |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| T267-d |