NSN 4310-00-403-0888

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-403-0888

Cross Sectional Shape:

I-section type

Fabrication Method:

Cast

Shaft Connecting End Style:

Automotive standard split bearing 2 bolt

End Thickness:

Between 1.090 inches and 1.100 inches

Edge Radius:

0.813 inches

End Hole Inside Diameter:

Between 1.060 inches and 1.061 inches

Piston Connecting End Bearing:

Included

Bearing Replaceability:

Replaceable

Piston Connecting End Lubrication Drill Feature:

Not included

Piston Connecting End Lubrication Method:

Splash

Shaft Connecting End Bearing:

Not included

Shaft Connecting End Hole Inside Diameter:

Between 1.627 inches and 1.628 inches

Shaft Connecting End Edge Radius:

1.063 inches

Shaft Connecting End Width:

2.938 inches

Shaft Connecting End Thickness:

Between 1.090 inches and 1.100 inches

Shaft Connecting End Lubrication Drill Feature:

Included

Shaft Connecting End Lubrication Method:

Splash

Center To Center Effective Length:

Between 6.498 inches and 6.502 inches

Body Width At Piston Connecting End:

0.875 inches

Body Width At Shaft Connecting End:

1.313 inches

Body Thickness At Piston Connecting End:

0.750 inches

NSN 4310-00-403-0888

Piston Connecting Rod - Page 2 of 2



Body Thickness At Shaft Connecting End: 0.875 inches Piston End Connection Style: Small engine and automotive standard Special Features: Oil recesses both sides of piston connecting end Material: Aluminum alloy Material: Aluminum alloy Shelf Life: N/a Unit Of Measure: - Demilitarization:

No **Fiig:** T267-d