## NSN 4310-00-413-2216

**Cross Sectional Shape:** 

Oval type

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-413-2216

Ovai type
Fabrication Method:
Any acceptable
Shaft Connecting End Style:
2 bolt 45 degrees
End Thickness:
0.468 inches
Edge Radius:
0.407 inches
End Hole Inside Diameter:
0.499 inches
Piston Connecting End Bearing:
Not included
Piston Connecting End Lubrication Drill Feature:
Included
Piston Connecting End Lubrication Method:
Splash
Shaft Connecting End Bearing:
Not included
Shaft Connecting End Hole Inside Diameter:
Between 1.124 inches and 1.125 inches
Shaft Connecting End Edge Radius:
0.750 inches
Shaft Connecting End Width:
2.126 inches
Shaft Connecting End Thickness:
1.245 inches
Shaft Connecting End Lubrication Drill Feature:
Included
Shaft Connecting End Lubrication Method:
Splash
Center To Center Effective Length:
5.125 inches
<b>Body Width At Piston Connecting End:</b>
0.500 inches
Body Width At Shaft Connecting End:
1.188 inches
Body Thickness At Piston Connecting End:
0.375 inches
Body Thickness At Shaft Connecting End:
0.625 inches

## NSN 4310-00-413-2216

Piston Connecting Rod - Page 2 of 2



## **Piston End Connection Style:**

Small engine and automotive standard

Material:

Bronze, sae 64

Material:

Bronze, sae 64

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

T267-d