## NSN 4310-00-423-3036

**Cross Sectional Shape:** 

**Fabrication Method:** 

I-section type

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-423-3036

Any acceptable
Shaft Connecting End Style:
Automotive standard split bearing 2 bolt
End Thickness:
1.500 inches
Edge Radius:
0.750 inches
End Hole Inside Diameter:
1.000 inches
Piston Connecting End Bearing:
Included
Bearing Replaceability:
Replaceable
Piston Connecting End Lubrication Drill Feature:
Included
Piston Connecting End Lubrication Method:
Splash
Shaft Connecting End Bearing:
Included
Shaft Connecting End Hole Inside Diameter:
1.875 inches
Shaft Connecting End Edge Radius:
1.312 inches
Shaft Connecting End Width:
3.375 inches
Shaft Connecting End Thickness:
1.500 inches
Shaft Connecting End Bearing Replaceability:
Replaceable
Shaft Connecting End Lubrication Drill Feature:
Included
Shaft Connecting End Lubrication Method:
Splash
Center To Center Effective Length:
7.250 inches
Body Width At Piston Connecting End:
1.000 inches
Body Width At Shaft Connecting End:
1.062 inches

## NSN 4310-00-423-3036

Piston Connecting Rod - Page 2 of 2



## Body Thickness At Piston Connecting End: 0.938 inches Body Thickness At Shaft Connecting End: 0.938 inches Piston End Connection Style: Small engine and automotive standard Material: Aluminum Material: Aluminum Shelf Life: N/a Unit Of Measure: -- Demilitarization:

No **Fiig:** T267-d