NSN 4310-00-555-4202

Piston Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-555-4202

Body Style: Chamfered ends Casehardening Indicator: Not casehardened Hole Depth: 0.5000 inches Outside Diameter: Between 2.24900 inches and 2.24950 inches End Chamfer Angle In Deg: 45.0 Hole Arrangement Style: Two holes through one side of bore First Hole Diameter: 0.313 inches Becond Hole Diameter: 0.313 inches Distance From Centerline Of Hole To End Of Pin: 0.563 inches Center To Center Distance Between Holes: 3.0000 inches Bore Diameter: 1.2500 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel Material: Steel Material: Steel Material: Steel Material: Steel Material Specification: Material Specification <th></th>	
Casehardening Indicator:Not casehardenedHole Depth:0.5000 inchesOutside Diameter:Between 2.24900 inches and 2.24950 inchesEnd Chamfer Angle In Deg:45.0Hole Arrangement Style:Two holes through one side of boreFirst Hole Diameter:0.313 inchesSecond Hole Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesBody Length:4.1250 inchesBetrallic Hardness Rating:52.0 rockwell cBore Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial:SteelMaterial Specification:Mil-s-890, class ac military specification single material responseFsc Application Data:Air compressorShelf Life:N/a	Body Style:
Not casehardenedHole Depth:0.5000 inchesOutside Diameter:Between 2.24900 inches and 2.24950 inchesEnd Chamfer Angle In Deg:45.0Hole Arrangement Style:Two holes through one side of boreFirst Hole Diameter:0.313 inchesSecond Hole Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesBody Length:5.2.0 rockwell cBreas Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial Specification:Mils-890, class ac military specification single material responseFisc Application Data:Air compressorShelf Life:N/a	
Hole Depth:0.5000 inchesOutside Diameter:Between 2.24900 inches and 2.24950 inchesEnd Chamfer Angle In Deg:45.0Hole Arrangement Style:Two holes through one side of boreFirst Hole Diameter:0.313 inchesSecond Hole Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesBotance Rating:52.0 rockwell cBore Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial:SteelMils-890, class ac military specification single material responseFise Application Data:Air compressorShelf Life:N/a	-
0.5000 inchesOutside Diameter:Between 2.24900 inches and 2.24950 inchesEnd Chamfer Angle In Deg:45.0Hole Arrangement Style:Two holes through one side of boreFirst Hole Diameter:0.313 inchesBetween Z. Mode Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesBody Length:52.0 rockwell cBrea Style:Straight-thru boreMaterial:SteelMaterial SpecificationSteelMaterial SpecificationMil-s-890, class ac military specification single material responseFisc Application Data:Air compressorShelf Life:N/a	
Outside Diameter:Between 2.24900 inches and 2.24950 inchesEnd Chamfer Angle In Deg:45.0Hole Arrangement Style:Two holes through one side of boreFirst Hole Diameter:0.313 inchesSecond Hole Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesStaight-thru boreMaterial:Straight-thru boreMaterial:Steel mil-s-890, class acMaterial:SteelAircan Specification single material responseFisc Application Data:Air compressorShelf Life:N/a	Hole Depth:
Between 2.24900 inches and 2.24950 inches End Chamfer Angle In Deg: 45.0 Hole Arrangement Style: Two holes through one side of bore First Hole Diameter: 0.313 inches Second Hole Diameter: 0.313 inches Distance From Centerline Of Hole To End Of Pin: 0.563 inches Center To Center Distance Between Holes: 3.0000 inches Bore Diameter: 1.2500 inches Bordy Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fisc Application Data: Air compressor Shelf Life: N/a	0.5000 inches
End Chamfer Angle In Deg:45.0Hole Arrangement Style:Two holes through one side of boreFirst Hole Diameter:0.313 inchesSecond Hole Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesBody Length:52.0 rockwell cBore Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial:SteelMaterial:Mil-s-890, class ac military specification single material responseFisc Application Data:Air compressorShelf Life:N/a	Outside Diameter:
45.0 Hole Arrangement Style: Two holes through one side of bore First Hole Diameter: 0.313 inches Second Hole Diameter: 0.313 inches Distance From Centerline Of Hole To End Of Pin: 0.563 inches Center To Center Distance Between Holes: 0.563 inches Bore Diameter: 1.2500 inches Bordy Length: 4.1250 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Between 2.24900 inches and 2.24950 inches
Hole Arrangement Style:Two holes through one side of boreFirst Hole Diameter:0.313 inchesSecond Hole Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesMetallic Hardness Rating:52.0 rockwell cBore Style:Straight-thru boreMaterial:SteelMaterial:SteelMil-s-890, class ac military specification single material responseFac Application Data:Air compressorShelf Life:N/a	End Chamfer Angle In Deg:
Two holes through one side of boreFirst Hole Diameter:0.313 inchesSecond Hole Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesBody Length:52.0 rockwell cBore Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial Specification:Mil-s-890, class ac military specification single material responseFac Application Data:Air compressorShelf Life:N/a	45.0
First Hole Diameter:0.313 inchesSecond Hole Diameter:0.313 inchesDistance From Centerline Of Hole To End Of Pin:0.563 inchesCenter To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.12500 inchesBody Length:52.0 rockwell cBore Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial SpecificationMil-s-890, class ac military specification single material responseFac Application Data:Air compressorSheff Life:N/a	Hole Arrangement Style:
0.313 inches Second Hole Diameter: 0.313 inches Distance From Centerline Of Hole To End Of Pin: 0.563 inches Center To Center Distance Between Holes: 3.0000 inches Bore Diameter: 1.2500 inches Body Length: 1.2500 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Two holes through one side of bore
Second Hole Diameter: 0.313 inches Distance From Centerline Of Hole To End Of Pin: 0.563 inches Center To Center Distance Between Holes: 3.0000 inches Bore Diameter: 1.2500 inches Body Length: 1.2500 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	First Hole Diameter:
0.313 inches Distance From Centerline Of Hole To End Of Pin: 0.563 inches Center To Center Distance Between Holes: 3.0000 inches Bore Diameter: 1.2500 inches Body Length: 1.2500 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	0.313 inches
Distance From Centerline Of Hole To End Of Pin: 0.563 inches Center To Center Distance Between Holes: 3.0000 inches Bore Diameter: 1.2500 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Second Hole Diameter:
0.563 inches Center To Center Distance Between Holes: 3.0000 inches Bore Diameter: 1.2500 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Store Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	0.313 inches
Center To Center Distance Between Holes:3.0000 inchesBore Diameter:1.2500 inchesBody Length:4.1250 inchesMetallic Hardness Rating:52.0 rockwell cBore Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial Specification:Kile-s890, class ac military specification single material responseFsc Application Data:Air compressorSheff Life:N/a	Distance From Centerline Of Hole To End Of Pin:
3.000 inches Bore Diameter: 1.2500 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel MaterialSpecification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life:	0.563 inches
Bore Diameter: 1.2500 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Center To Center Distance Between Holes:
1.2500 inches Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	3.0000 inches
Body Length: 4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Bore Diameter:
4.1250 inches Metallic Hardness Rating: 52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	1.2500 inches
Metallic Hardness Rating:52.0 rockwell cBore Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial:SteelMaterial Specification:Mil-s-890, class ac military specification single material responseFsc Application Data:Air compressorShelf Life:N/a	Body Length:
52.0 rockwell c Bore Style: Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life:	4.1250 inches
Bore Style:Straight-thru boreMaterial:Steel, mil-s-890, class acMaterial:SteelMaterial Specification:Mil-s-890, class ac military specification single material responseFsc Application Data:Air compressorShelf Life:N/a	Metallic Hardness Rating:
Straight-thru bore Material: Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	52.0 rockwell c
Material:Steel, mil-s-890, class acMaterial:SteelMaterial Specification:Mil-s-890, class ac military specification single material responseFsc Application Data:Air compressorShelf Life:N/a	Bore Style:
Steel, mil-s-890, class ac Material: Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Straight-thru bore
Material:SteelMaterial Specification:Mil-s-890, class ac military specification single material responseFsc Application Data:Air compressorShelf Life:N/a	Material:
Steel Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Steel, mil-s-890, class ac
Material Specification: Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Material:
Mil-s-890, class ac military specification single material response Fsc Application Data: Air compressor Shelf Life: N/a	Steel
Fsc Application Data: Air compressor Shelf Life: N/a	Material Specification:
Air compressor Shelf Life: N/a	Mil-s-890, class ac military specification single material response
Shelf Life: N/a	Fsc Application Data:
N/a	Air compressor
	Shelf Life:
Unit Of Measure:	N/a
	Unit Of Measure:
Demilitarization:	Demilitarization:

No

NSN 4310-00-555-4202

Piston Pin - Page 2 of 2

Fiig: A09500

Mil-std (military Standard):

Mil-s-890 spec.

