## NSN 4310-00-628-0528

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-628-0528

Cross Sectional Shape:
I-section type
Fabrication Method:
Cast
Shaft Connecting End Style:
Press sleeve
End Thickness:
0.500 inches
Edge Radius:
0.470 inches
End Hole Inside Diameter:
0.625 inches
Piston Connecting End Bearing:
Not included
Bearing Replaceability:
Nonreplaceable
Piston Connecting End Lubrication Drill Feature:
Not included
Piston Connecting End Lubrication Method:
Splash
Shaft Connecting End Bearing:
Included
Shaft Connecting End Hole Inside Diameter:
2.375 inches
Shaft Connecting End Edge Radius:
1.418 inches
Shaft Connecting End Thickness:
0.500 inches
Shaft Connecting End Bearing Replaceability:
Nonreplaceable
Shaft Connecting End Lubrication Drill Feature:
Included
Shaft Connecting End Lubrication Method:
Splash
Center To Center Effective Length:
4.062 inches
<b>Body Width At Piston Connecting End:</b>
0.575 inches
Body Width At Shaft Connecting End:
0.835 inches
Body Thickness At Piston Connecting End:
0.375 inches

## NSN 4310-00-628-0528

Piston Connecting Rod - Page 2 of 2



## Body Thickness At Shaft Connecting End: 0.375 inches Piston End Connection Style: Small engine and automotive standard Special Features: Shaft connecting end tin plated Material: Bronze Material: Copper alloy Shelf Life: N/a Unit Of Measure: - Demilitarization:

No **Fiig:** T267-d