NSN 4310-00-650-9212

Cross Sectional Shape:

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-650-9212

oroso ocononar onape.	
I-section type	
Fabrication Method:	
Cast	
Shaft Connecting End Style:	
Automotive standard split bearing 2 bolt	
End Thickness:	
1.000 inches	
Edge Radius:	
0.750 inches	
End Hole Inside Diameter:	
0.875 inches	
Piston Connecting End Bearing:	
Included	
Bearing Replaceability:	
Replaceable	
Piston Connecting End Lubrication Drill Feature	:
Included	
Piston Connecting End Lubrication Method:	
Full forced-feed	
Shaft Connecting End Bearing:	
Included	
Shaft Connecting End Hole Inside Diameter:	
1.875 inches	
Shaft Connecting End Edge Radius:	
1.250 inches	
Shaft Connecting End Width:	
3.156 inches	
Shaft Connecting End Thickness:	
1.562 inches	
Shaft Connecting End Bearing Replaceability:	
Replaceable	
Shaft Connecting End Lubrication Drill Feature:	
Included	
Shaft Connecting End Lubrication Method:	
Full forced-feed	
Center To Center Effective Length:	
6.250 inches	
Body Width At Piston Connecting End:	
1.062 inches	
Body Width At Shaft Connecting End:	
1.656 inches	

NSN 4310-00-650-9212Piston Connecting Rod - Page 2 of 2



Body Thickness At Piston Connecting End:
0.625 inches
Body Thickness At Shaft Connecting End:
0.625 inches
Piston End Connection Style:
Small engine and automotive standard
Material:
Steel
Material:
Steel
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T267-d