

View Online at <https://aerobasegroup.com/nsn/4310-00-693-2659>

Compressor Quantity:

1

Duty Cycle In Percent:

100

Gas For Which Designed:

Air

Discharge Flow Rate:

130.000 cubic feet per minute

Discharge Pressure:

125.000 pounds per square inch gage

Cooling System Design:

Single

Compressed Gas Cooling Medium:

Air

Compressor Cooling Medium:

Air

Prime Mover Cooling Medium:

Air

Unloader Type:

Automatic

Mounting Type:

Base

Reciprocating Compressor Design:

Single acting

Cylinder Arrangement Style:

Vertical design

Stage Quantity:

2

Receiver Tank Capacity:

11.00 cubic feet

Intake Connection Quantity:

1

Unpackaged Unit Length:

52.56 inches

Unpackaged Unit Width:

40.13 inches

Unpackaged Unit Height:

99.00 inches

Prime Mover Type:

Electric motor

Safety Device Type:

High temperature shutdown switch and relief valve

Features Provided:

Fungus resistant treatment

Voltage In Volts And Current Type:

208.0 ac

Temperature Rating Per Function:

380.0 degrees fahrenheit discharge

Phase:

Three

Special Features:

Reduced voltage, auto transformed-type motor starter w/65 and 80 pct taps

Frequency In Hertz:

60.0

Functional Description:

The air compressor is a stationary, electric-motor driven, double-stage unit intended for heavy duty service in installations where a steady volume of air in a pressure range of 5 to 125 psi is required

Reference Data And Literature:

Af to. 34y1-131-1

Specification Data:

81349-mil-c-17596 government specification

Specification Or Standard:

Mb-5 type

Departure From Cited Designator:

As modified by pac feat

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A026a0