

View Online at <https://aerobasegroup.com/nsn/4310-00-836-1659>

**Brake Horsepower Required:**

0.333

**Mounting Type:**

Any acceptable

**Stage Quantity:**

2

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Single strand v-belt

**Current Type:**

Ac

**Cooling Medium:**

Air

**Vacuum Rating:**

2.0 torr

**Pump Quantity:**

1

**Pump Body Material:**

Any acceptable

**Specific Gas For Which Designed:**

Air

**Pumping Element Type:**

Rotary piston

**Operating Speed At Rated Capacity In Rpm:**

1135.0

**Air Displacement Rate:**

3.0 cubic feet per minute in free air

**System Design:**

Corrosive

**Prime Mover Type:**

Electric motor

**Discharge Connection Thread Size And Series/type Designator:**

0.750-14 npt

**Intake Connection Thread Size And Series/type Designator:**

0.750-14 npt

**Voltage In Volts:**

115.0 and 230.0

**Phase:**

Single

**Special Features:**

Made from kinney d54-358 kc-3 by applying 2 coats of gray gloss enamel. Vacuum pump only less gas ballast and discharge trap. Filter in place of trap

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A06700