

View Online at <https://aerobasegroup.com/nsn/4310-00-854-8177>

Brake Horsepower Required:

7.500

Mounting Type:

Base

Stage Quantity:

1

Intake Connection Quantity:

1

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

1

Discharge Connection Type:

Threaded internal

Drive Connection Type:

Multistrand v-belt

Body Surface Treatment:

Any acceptable

Furnished Items:

Control panel/wall mtg/

Overall Length:

Any acceptable

Overall Height:

Any acceptable

Overall Width:

Any acceptable

Current Type:

Ac

Cooling Medium:

Water

Vacuum Rating:

12.7 torr

Pump Quantity:

1

Pump Body Material:

Any acceptable

Specific Gas For Which Designed:

Air

Pumping Element Type:

Sliding vane

Operating Speed At Rated Capacity In Rpm:

448.0

Err Default:

Err default

Air Displacement Rate:

105.0 cubic feet per minute in free air

System Design:

Noncorrosive

Prime Mover Type:

Electric motor

Current Rating In Amps:

20.3 and 10.2

Discharge Connection Thread Size And Series/type Designator:

2-11-1/2 npt

Intake Connection Thread Size And Series/type Designator:

2-11-1/2 npt

Control Device Type:

Automatic speed regulator

Safety Device Type:

Safety relief valve

Features Provided:

Separator tank

Voltage In Volts:

230.0 and 460.0

Phase:

Three

Frequency In Hertz:

60.0

Specification Or Standard:

1 size

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A06700