NSN 4310-00-911-2222

Piston Connecting Rod - Page 1 of 2

Cross Sectional Shape:

I-section type



View Online at https://aerobasegroup.com/nsn/4310-00-911-2222

Fabrication Method:					
Cast					
Shaft Connecting End Style:					
Automotive standard split bearing 2 bolt					
End Thickness:					
0.875 inches					
Edge Radius:					
0.375 inches					
End Hole Inside Diameter:					
0.562 inches					
Piston Connecting End Bearing:					
Not included					
Piston Connecting End Lubrication Drill Feature:					
Not included					
Piston Connecting End Lubrication Method:					
Splash					
Shaft Connecting End Bearing:					
Not included					
Shaft Connecting End Hole Inside Diameter:					
1.000 inches					
Shaft Connecting End Edge Radius:					
0.750 inches					
Shaft Connecting End Width:					
2.154 inches					
Shaft Connecting End Thickness:					
0.525 inches					
Shaft Connecting End Lubrication Drill Feature:					
Included					
Shaft Connecting End Lubrication Method:					
Splash					
Center To Center Effective Length:					
4.813 inches					
Body Width At Piston Connecting End:					
0.812 inches					
Body Width At Shaft Connecting End:					
0.812 inches					
Body Thickness At Piston Connecting End:					
0.465 inches					
Body Thickness At Shaft Connecting End:					
0.465 inches					

NSN 4310-00-911-2222

Piston Connecting Rod - Page 2 of 2



Piston	End	Cann	aatian	Ctulo:
riston	Ena	Conn	ection	Style:

Small engine and automotive standard

Material:

Aluminum alloy

Material:

Aluminum alloy

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T267-d