

View Online at <https://aerobasegroup.com/nsn/4310-00-935-1557>

Brake Horsepower Required:

0.020

Mounting Type:

Base

Stage Quantity:

1

Intake Connection Quantity:

1

Intake Connection Type:

Unthreaded external

Discharge Connection Quantity:

1

Discharge Connection Type:

Unthreaded external

Drive Connection Type:

Cam

Body Surface Treatment:

Enamel

Furnished Items:

Exhaust muffler and foot operated switch

Overall Length:

7.125 inches

Overall Height:

4.875 inches

Overall Width:

3.625 inches

Current Type:

Ac

Vacuum Rating:

355.6 torr

Pump Quantity:

1

Pump Body Material:

Aluminum alloy

Specific Gas For Which Designed:

Air

Pumping Element Type:

Diaphragm

Intake Connection Outside Diameter:

0.250 inches

Err Default:

Err default

Operating Speed At Rated Capacity In Rpm:

3000.0

Air Displacement Rate:

0.2 cubic feet per minute in free air

System Design:

Corrosive

Prime Mover Type:

Electric motor

Voltage In Volts:

115.0

Phase:

Single

Special Features:

Power driven, small; for evacuating cuvette, 6640-00-145-1299, 6640-00-145-1300, 6640-00-145-1301, and 6640-00-926-7776, and general laboratory use

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A06700