NSN 4310-00-984-5850

in a 200 oersted field

Rotary Compressor Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-00-984-5850

Compressor Quantity:
1
Duty Cycle In Percent:
100
Gas For Which Designed:
Steam
Discharge Flow Rate:
Not rated
Discharge Pressure:
4.000 pounds per square inch gage
Cooling System Design:
Mixed
Compressor Cooling Medium:
Salt water
Prime Mover Cooling Medium:
Air
Brake Horsepower Required:
7.500
Mounting Type:
Vertical tank
Rotary Compressor Design:
Axial screw
Stage Quantity:
1
Compressor Speed At Rated Capacity In Rpm:
2300.0
Prime Mover Type:
Electric motor
Current Type And Rating In Amps:
9.5 ac
Voltage In Volts And Current Type:
440.0 ac
Tempurature Rating Per Function:
Not rated
Brake Power Required:
7.500 horsepower
Phase:
Three
Frequency In Hertz:
60.0
Reference Number Differentiating Characteristics:

As differentiated by nonmagnetic permeability shall be less than 1.2 before fabrication and not greater than 2.0 after fabrication asmeasured

NSN 4310-00-984-5850

Rotary Compressor Unit - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A026a0