NSN 4310-01-028-0977

Reciprocating Vacuum Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-01-028-0977 **Brake Horsepower Required:** 0.083 **Mounting Type:** Hand carry **Cylinder Arrangement Style:** Vertical design **Stage Quantity: Intake Connection Quantity: Intake Connection Type:** Threaded internal **Discharge Connection Quantity: Discharge Connection Type:** Threaded internal **Overall Length:** 10.000 inches **Overall Height:** 11.000 inches **Overall Width:** 7.000 inches **Current Type:** Ac **Pump Quantity:** 1 **Pump Body Material:** Any acceptable **Specific Gas For Which Designed:** Air or refrigerant r-22 **Pumping Element Type: Pump Cylinder Quantity:** Air Displacement Rate: 0.9 cubic feet per minute in free air System Design:

Noncorrosive

Prime Mover Type:

Electric motor

Current Rating In Amps:

2.0

NSN 4310-01-028-0977 Reciprocating Vacuum Pump Unit - Page 2 of 2



| Discharge Connection Thread Size And Series/type Designator: |
|--|
| 1/2-14 npt |
| Intake Connection Thread Size And Series/type Designator: |
| 1-11-12 npt |
| Control Device Type: |
| Constant speed |
| Voltage In Volts: |
| 115.0 |
| Phase: |
| Single |
| Special Features: |
| Intake filter, separate vacuum and pressure gauges, self lubricated bearings and hard graphite piston ring |
| Frequency In Hertz: |
| 50.0 and 60.0 |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A06700 |