## NSN 4310-01-036-8684

**Cross Sectional Shape:** 

**Fabrication Method:** 

Flat type

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-01-036-8684

Any acceptable
Shaft Connecting End Style:
Automotive standard split bearing 2 bolt
End Thickness:
1.100 inches
Edge Radius:
0.812 inches
End Hole Inside Diameter:
1.060 inches
Piston Connecting End Bearing:
Not included
Piston Connecting End Lubrication Drill Feature:
Included
Piston Connecting End Lubrication Method:
Oil vapor
Shaft Connecting End Bearing:
Not included
Shaft Connecting End Hole Inside Diameter:
1.625 inches
Shaft Connecting End Edge Radius:
0.344 inches
Shaft Connecting End Width:
2.938 inches
Shaft Connecting End Thickness:
1.100 inches
Shaft Connecting End Lubrication Drill Feature:
Included
Shaft Connecting End Lubrication Method:
Oil vapor
Center To Center Effective Length:
6.000 inches
<b>Body Width At Piston Connecting End:</b>
0.875 inches
<b>Body Width At Shaft Connecting End:</b>
0.875 inches
Body Thickness At Piston Connecting End:
0.188 inches
<b>Body Thickness At Shaft Connecting End:</b>
0.188 inches

## NSN 4310-01-036-8684

Piston Connecting Rod - Page 2 of 2



Piston End Connection St	yle:
--------------------------	------

Small engine and automotive standard

Material:

Aluminum alloy

Material:

Aluminum alloy

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T267-d