Piston Connecting Rod - Page 1 of 2





**Cross Sectional Shape:** I-section type **Fabrication Method:** Any acceptable Shaft Connecting End Style: Automotive standard split bearing 2 bolt End Thickness: 1.000 inches **Edge Radius:** 0.265 inches **End Hole Inside Diameter:** Between 0.531 inches and 0.532 inches **Piston Connecting End Bearing:** Included **Bearing Replaceability:** Replaceable **Piston Connecting End Lubrication Drill Feature:** Included **Piston Connecting End Lubrication Method:** Splash **Shaft Connecting End Bearing:** Not included Shaft Connecting End Hole Inside Diameter: Between 1.229 inches and 1.230 inches Shaft Connecting End Edge Radius: 0.615 inches Shaft Connecting End Width: Between 2.076 inches and 2.084 inches Shaft Connecting End Thickness: 0.914 inches Shaft Connecting End Lubrication Drill Feature: Not included Shaft Connecting End Lubrication Method: Splash Center To Center Effective Length: Between 3.732 inches and 3.736 inches **Piston End Connection Style:** Small engine and automotive standard Material: Any acceptable Shelf Life: N/a

## NSN 4310-01-080-6524

Piston Connecting Rod - Page 2 of 2



---

Demilitarization:

No

Fiig:

T267-d

