Rotary Compressor Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4310-01-176-2012

1 Ducycle In Percent: 25 Sor Which Designed: Air Cooling System Design: Single Compressed Gas Cooling Medium: Air Compressed Gas Cooling Medium: Air Prime Mover Cooling Medium: Air Mounting Type: Bracket Stage Quantity: 1 Intek Connection Quantity: 1 Intek Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Type: Threaded female Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Votage In Volts And Current Type: Threaded male Single Frequency In Hertz: 60.0 Specification Data: Stritt-Singozka government specification Single Fort Life: Na Contor Gata: Strit Singozka government specification <				
Duty Cycle In Percent: 25 Gas For Which Designed: Air Cooling System Design: Single Compressed Gas Cooling Medium: Air Compressor Cooling Medium: Air Prime Mover Cooling Medium: Air Prime Mover Cooling Medium: Air Prime Mover Cooling Medium: Air Bracket Stage Quantity: I Intake Connection Quantity: 1 Inteaded female Discharge Connection Quantity: 1 Discharge Connection Type: Threaded female Prime Mover Type: Electin motor Votage In Voits And Current Type: Its Jac Single Frequery In Hertz: 60.0 Specification Data: System Sciele Note Superification System Sciele Sciele Sciele Single Frequenty In Hertz: 60.0 Specification Data: System Sciele Sciele </th <th>Compressor Quantity</th> <th>:</th> <th></th> <th></th>	Compressor Quantity	:		
25 Gas For Which Designed: Air Cooling System Design: Single Compressed Gas Cooling Medium: Air Compressor Cooling Medium: Air Prime Mover Cooling Medium: Air Prime Mover Cooling Medium: Air Prime Mover Cooling Medium: Air Stage Quantity: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intreaded female Discharge Connection Type: Threaded female Prime Mover Type: Electric molor Votage I Votits And Current Type: Its 0 ac Pranse: Single Frequery in Hertz: 60.0 Specification Data: Syst11-5190243 government specification Sr Votagen: Free Na Cond Medium Cond Medium Specification Data: Syst11-5190243 govermment s	1			
Air Air Conjing System Design: Single Compressed Gas Cooling Medium: Air Compressor Cooling Medium: Air Prime Mover Cooling Medium: Air Moutting Type: Bracket Stage Quantity: 1 Intake Connection Type: Threaded female Discharge Connection Quantity: 1 Single Prime Mover Type: Electric motor Voltage In Volts And Current Type: Single Frequency In Hertz: Single Single Single Single Single Single Single Single Single <tr< th=""><th>Duty Cycle In Percent</th><th>:</th><th></th><th></th></tr<>	Duty Cycle In Percent	:		
Air Cooling System Design: Single Compressed Gas Cooling Medium: Air Compressor Cooling Medium: Air Mounting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intervert Ype: Threaded female Picenary Connection Type: Threaded male Pine Mover Type: Itsio avoit Voltage In Volta And Current Type: Itsio avoit Single Prequency In Hertz: Go.0 Sigle Sigle Sigle Sigle Sigle Sigle Sigle				
Cooling System Design: Single Compressed Gas Cooling Medium: Air Compressor Cooling Medium: Air Prime Mover Cooling Medium: Air Munting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Type: Threaded female Discharge Connection Quantity: 1 Discharge Connection Type: Threaded female Pine Mover Type: Electric motor Votage In Volts And Current Type: 115.0 ac Prese: Single Frequency In Hertz: G:0 Specification Data: Str11-5190243 government specification Shafe Mitor Vatage In Volte Saure: Size Size Size Size Size	Gas For Which Desig	ned:		
Single Compressed Gas Cooling Medium: Air Compressor Cooling Medium: Air Prime Mover Cooling Medium: Air Mounting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Type: Threaded female Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: Sy11-5190243 government specification Shell In: Na Unit Of Measure: Image: Image: Image: Image: </th <th>Air</th> <th></th> <th></th> <th></th>	Air			
Compressed Gas Cooling Medium: Air Compressor Cooling Medium: Air Prime Mover Cooling Medium: Air Prime Mover Cooling Medium: Air Mounting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Quantity: 1 Inteaded female Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: Inteaded male Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shell Lite: Iva Unit Of Measure: Iva Disclares: Signel Frequency In Mertz: 60.0 Shell Lite: Iva Disclares: Signel: Shell Lite:	Cooling System Desig	gn:		
Air Compressor Cooling Medium: Air Prime Mover Cooling Medium: Air Prime Mover Cooling Medium: Air Mounting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Quantity: 1 Intreaded female Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: Single Frequency In Hertz: 60.0 Spelf Cation Data: Start 1.5190243 government specification Sheff Life: Na	Single			
Compressor Cooling Medium: Air Prime Mover Cooling Medium: Air Mouning Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intreaded female Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Spelification Data: 53711-5190243 government specification Shelf Life: Na Unit Of Measure: - Pomilitarization:	Compressed Gas Coc	oling Medium:		
Air Prime Mover Cooling Medium: Air Mounting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Quantity: 1 Intreaded female Discharge Connection Type: Threaded male Prime Mover Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: Saf711-5190243 government specification Shef Life: Na Unit of Measure: - -	Air			
Prime Mover Cooling Medium: Air Mounting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Quantity: 1 Intake Connection Quantity: 1 Intake Connection Quantity: 1 Intraded female Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Spelfication Data: 53711-5190243 government specification Sheff Life: Na Life Measure: - - Into If Measure: - - Interfication:	Compressor Cooling	Medium:		
Air Mounting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Type: Threaded female Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: SiS711-5190243 government specification Sheff Life: N/a Unit Of Measure: 	Air			
Mounting Type: Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Type: Threaded female Discharge Connection Quantity: 1 Price Connection Type: Threaded female Discharge Connection Type: Threaded male Price Connection Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 5711-5190243 government specification Shelf Life: Iva Lint Of Measure: - Dimilitarization:	Prime Mover Cooling	Medium:		
Bracket Stage Quantity: 1 Intake Connection Quantity: 1 Intraded female Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Pineaded male	Air			
Stage Quantity: 1 Intake Connection Quantity: 1 Intake Connection Type: Threaded female Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	Mounting Type:			
1 Intake Connection Quantity: 1 Intake Connection Type: Threaded female Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: - Demilitarization:	Bracket			
Intake Connection Quantity: Intake Connection Type: Threaded female Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: Si711-5190243 government specification Kal Intif O Measure: ival Dirdt Measure: ival Dirdt Measure: ival Dirdt Measure: ival	Stage Quantity:			
1 Intake Connection Type: Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: - Dintification:	1			
Inteaded femaleThreaded femaleDischarge Connection Quantity:1Discharge Connection Type:Threaded malePrime Mover Type:Electric motorVoltage In Volts And Current Type:115.0 acPhase:SingleFrequency In Hertz:60.0Specification Data:53711-5190243 government specificationShelf Life:N/aUnd of Measure:Demilitarization:	Intake Connection Qu	antity:		
Threaded female Discharge Connection Quantity: 1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a In Cof Measure: Demilitarization:	1			
Discharge Connection Quantity:1Discharge Connection Type:Threaded malePrime Mover Type:Electric motorVoltage In Volts And Current Type:115.0 acPhase:SingleFrequency In Hertz:60.0Specification Data:53711-5190243 government specificationShelf Life:N/aUnit Of Measure:Demilitarization:	Intake Connection Ty	pe:		
1 Discharge Connection Type: Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit of Measure: Demilitarization:	Threaded female			
Discharge Connection Type:Threaded malePrime Mover Type:Electric motorVoltage In Volts And Current Type:115.0 acPhase:SingleFrequency In Hertz:60.0Specification Data:53711-5190243 government specificationShelf Life:N/aUnit Of Measure:Demilitarization:	Discharge Connection	n Quantity:		
Threaded male Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure:	1			
Prime Mover Type:Electric motorVoltage In Volts And Current Type:115.0 acPhase:SingleFrequency In Hertz:60.0Specification Data:53711-5190243 government specificationShelf Life:N/aUnit Of Measure:Demilitarization:	Discharge Connection	n Type:		
Electric motor Voltage In Volts And Current Type: 115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	Threaded male			
Voltage In Volts And Current Type:115.0 acPhase:SingleFrequency In Hertz:60.0Specification Data:53711-5190243 government specificationShelf Life:N/aDint Of Measure:Demilitarization:	Prime Mover Type:			
115.0 ac Phase: Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: 	Electric motor			
Phase:SingleFrequency In Hertz:60.0Specification Data:53711-5190243 government specificationShelf Life:N/aDit Of Measure:Demilitarization:	Voltage In Volts And	Current Type:		
Single Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	115.0 ac			
Frequency In Hertz: 60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	Phase:			
60.0 Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	Single			
Specification Data: 53711-5190243 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	Frequency In Hertz:			
53711-5190243 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	60.0			
Shelf Life: N/a Unit Of Measure: Demilitarization:	Specification Data:			
N/a Unit Of Measure: Demilitarization:	53711-5190243 govern	ment specification		
Unit Of Measure: Demilitarization:	Shelf Life:			
 Demilitarization:	N/a			
	Unit Of Measure:			
No	Demilitarization:			
	No			

NSN 4310-01-176-2012

Rotary Compressor Unit - Page 2 of 2

Fiig: A026a0

