

View Online at <https://aerobasegroup.com/nsn/4310-01-344-1037>

**Brake Horsepower Required:**

0.250

**Mounting Type:**

Base

**Stage Quantity:**

1

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Current Type:**

Ac

**Vacuum Rating:**

26.0 inches of mercury

**Pump Quantity:**

1

**Pump Body Material:**

Iron, cast

**Specific Gas For Which Designed:**

Air

**Pumping Element Type:**

Rotary piston

**Operating Speed At Rated Capacity In Rpm:**

1725.0

**Air Displacement Rate:**

4.0 cubic feet per minute in free air

**Minimum Operating Temp:**

32.0 degrees fahrenheit

**System Design:**

Noncorrosive

**End Application:**

A/f-18-dcn

**Prime Mover Type:**

Electric motor

**Current Rating In Amps:**

1.652

**Intake Connection Thread Size And Series/type Designator:**

1/4-18 npt

**Control Device Type:**

Automatic speed regulator

**Safety Device Type:**

Safety relief valve

**Err Default:**

Err default

**Err Default:**

Err default

**Voltage In Volts:**

115.0

**Phase:**

Single

**Special Features:**

Unit includes components of repair set: elbow assembly an914-2d; light 5m2445-5; light assembly 5m943-21; gage 7m728-1; vacuum gage 7m728-2

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A06700