

View Online at <https://aerobasegroup.com/nsn/4320-00-008-7350>

Mounting Type:

Flange

Intake Connection Quantity:

1

Intake Connection Type:

Rectangular flange

Discharge Connection Quantity:

2

Discharge Connection Type:

Threaded internal and threaded internal

Drive Connection Type:

Close coupled

Media For Which Designed:

Hydrocarbon fuels and oils

Maximum Discharge Flow Rate:

11.5 gallons per minute and 11.0 gallons per minute

Discharge Pressure:

100.0 pounds per square inch gage

Operating Speed At Rated Capacity:

1200.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Pump Rotation Direction:

Counterclockwise

Rotary Pump Design:

Vane

Operation Method:

Powered

Drive Shaft Type:

Machine keyway

Drive Shaft End Diameter:

0.875 inches

Drive Shaft Length:

1.940 inches

Unpackaged Unit Length:

1.360 inches

Unpackaged Unit Width:

7.000 inches

Discharge Connection Thread Size And Series/type Designator:

1.062-12 un and 1.062-12 un

Special Features:

Double pump design; both outlet ports opposite side of inlet; 8gpm, 2500 psi relief valve setting

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400