NSN 4320-00-081-6457

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-081-6457

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Stage Quantity:
6
Intake Connection Quantity:
1
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Ac
Media For Which Designed:
Water, fresh
Environmental Protection:
Dripproof
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
300.0 gallons per minute
Total Head:
1076.000 feet
1076.000 feet Operating Speed At Rated Capacity:
Operating Speed At Rated Capacity:
Operating Speed At Rated Capacity: 3500.0 revolutions per minute
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position:
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position: Vertical
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position: Vertical Centrifugal Pump Design:
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position: Vertical Centrifugal Pump Design: Radial flow
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position: Vertical Centrifugal Pump Design: Radial flow Centrifugal Pump Impeller Quantity:
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position: Vertical Centrifugal Pump Design: Radial flow Centrifugal Pump Impeller Quantity: 6
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position: Vertical Centrifugal Pump Design: Radial flow Centrifugal Pump Impeller Quantity: 6 Centrifugal Pump Impeller Suction Type:
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position: Vertical Centrifugal Pump Design: Radial flow Centrifugal Pump Impeller Quantity: 6 Centrifugal Pump Impeller Suction Type: Single
Operating Speed At Rated Capacity: 3500.0 revolutions per minute Pumping Element Operating Position: Vertical Centrifugal Pump Design: Radial flow Centrifugal Pump Impeller Quantity: 6 Centrifugal Pump Impeller Suction Type: Single Volume Control Type:

NSN 4320-00-081-6457

Centrifugal Pump Unit - Page 2 of 2



Prime Mover Type:
Electric motor
Inclosure Type:
Partially enclosed
Current Rating In Amps:
180.0
Voltage In Volts:
440.0
Phase:
Three
Frequency In Hertz:
440.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A19400