NSN 4320-00-086-4917

Rotary Pump - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-00-086-4917

Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded external
Drive Connection Type:
V-belt
Media For Which Designed:
Hydrocarbon fuels and oils
Maximum Discharge Flow Rate:
2.3 gallons per minute
Discharge Pressure:
50.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1500.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Pump Rotation Direction:
Clockwise
Rotary Pump Design:
Vane
Operation Method:
Operation Method: Powered
Powered
Powered Drive Shaft Type:
Powered Drive Shaft Type: Threaded and woodruff keyway
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter:
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length:
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator:
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator: 0.625-18 unf
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator: 0.625-18 unf Special Features:
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator: 0.625-18 unf Special Features: Furnished with reservoir
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator: 0.625-18 unf Special Features: Furnished with reservoir Shelf Life:
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator: 0.625-18 unf Special Features: Furnished with reservoir Shelf Life: N/a
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator: 0.625-18 unf Special Features: Furnished with reservoir Shelf Life: N/a
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator: 0.625-18 unf Special Features: Furnished with reservoir Shelf Life: N/a Unit Of Measure:
Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.623 inches and 0.624 inches Drive Shaft Length: 1.420 inches Discharge Connection Thread Size And Series/type Designator: 0.625-18 unf Special Features: Furnished with reservoir Shelf Life: N/a Unit Of Measure: Demilitarization: