NSN 4320-00-132-5255

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-132-5255

Drime Meyer Overtity
Prime Mover Quantity:
1
Prime Mover Cooling Medium: Air
· ···
Stage Quantity:
1 Intelse Connection Quantity:
Intake Connection Quantity:
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1 Discharge Connection Type:
Discharge Connection Type:
Round flange
Current Type: Ac
Media For Which Designed: Water, salt
Environmental Protection:
Submersible
Pump Quantity:
Maximum Discharge Flow Rate:
40.0 gallons per minute
Total Head:
75.000 feet
Operating Speed At Rated Capacity:
1750.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
•
Current Rating In Amps:

4.2

NSN 4320-00-132-5255

Centrifugal Pump Unit - Page 2 of 2



Voltage In Volts:
440.0
Phase:
Three
Frequency In Hertz:
60.0
Reference Number Differentiating Characteristics:
As differentiated by w/star electric motor, dwg no. 39904
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fila:

A19400