NSN 4320-00-143-5436

Hydraulic Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-143-5436

Thread Direction:
Right-hand
Spline Minor Diameter:
Between 0.645 inches and 0.654 inches
Spline Major Diameter:
Between 0.739 inches and 0.742 inches
Mounting Type:
Flange
Spline Quantity:
17
Mounting Hole Diameter:
Between 0.341 inches and 0.351 inches
Mounting Hole Quantity:
4
Thread Size:
0.438-20 and 0.750-16 and 0.750-16
Operating Speed At Rated Capacity In Rpm:
1500.0
Mounting Bolt Circle Diameter:
5.500 inches
Pitch Diameter:
0.708 inches
Drive Shaft Type:
Splined, involute external
Housing Material:
Aluminum alloy
Screw Thread Series Designator:
Unf
Shaft Rotation Direction:
Clockwise and counterclockwise
Thread Location:
Internal
Shaft Protrusion Length:
1.000 inches
Spline Pitch:
24/48
Connection Quantity:
1
Connection Design:
Threaded
Spline Pressure Angle In Deg:
30.0

NSN 4320-00-143-5436

Hydraulic Motor - Page 2 of 2



Spline Length:

Between 0.375 inches and 0.405 inches

Displacement Type:

Variable

Constant Displacement Per Revolution:

1.000 cubic inches

Connection Government Specification/std:

Ms 16142

Housing Surface Treatment:

Anodized

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T103-f