NSN 4320-00-150-0309

Rotary Pump - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-00-150-0309

| Intake Connection Quantity: |
|---|
| 1 |
| Intake Connection Type: |
| Unthreaded internal |
| Discharge Connection Quantity: |
| 1 |
| Discharge Connection Type: |
| Unthreaded internal |
| Drive Connection Type: |
| Close coupled |
| Media For Which Designed: |
| Oil |
| Maximum Discharge Flow Rate: |
| 14.5 gallons per minute |
| Discharge Pressure: |
| 150.0 pounds per square inch gage |
| Operating Speed At Rated Capacity: |
| 4500.0 revolutions per minute |
| Pump Rotation Direction: |
| Clockwise |
| Rotary Pump Design: |
| Gear |
| Operation Method: |
| Powered |
| Drive Shaft Type: |
| Splined, straight external |
| Drive Shaft End Diameter: |
| 0.469 inches |
| Drive Shaft Length: |
| 0.952 inches |
| Special Features: |
| Pump body submerged in oil, w/o strainer |
| Reference Number Differentiating Characteristics: |
| As modified by source control dwg no. 212-040-184-1 |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| _ |
| Demilitarization: |
| No |
| Fiig: |
| A19400 |