## NSN 4320-00-194-9956

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-194-9956

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Environmental Protection:
Dripproof
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
0.3 gallons per minute
Discharge Pressure:
40.0 pounds per square inch gage
Operating Speed At Rated Capacity:
3000.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Rotary Pump Design:
Gear
Prime Mover Type:
Electric motor
Inclosure Type:
Open
Current Rating In Amps:
2.0
Discharge Connection Thread Size And Series/type Designator:
0.125-27 npt
Intake Connection Thread Size And Series/type Designator:
0.125-27 npt
Voltage In Volts:
115.0 and 230.0

## NSN 4320-00-194-9956

Rotary Pump Unit - Page 2 of 2



Single

Frequency In Hertz:

50.0 and 60.0

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A19400