NSN 4320-00-199-3899

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-199-3899

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Mounting Type:
Base
Intake Connection Quantity:
2
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
2
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Media For Which Designed:
Hydrocarbon fuels and oils
Pump Quantity:
1
Maximum Discharge Flow Rate:
37.0 gallons per minute
Discharge Pressure:
150.0 pounds per square inch gage
Pumping Element Operating Position:
Horizontal
Rotary Pump Design:
Gear
Prime Mover Type:
Electric motor
Inclosure Type:
Partially enclosed
Current Rating In Amps:
18.0
Discharge Connection Thread Size And Series/type Designator:
1.500-11-1/2 npt
Intake Connection Thread Size And Series/type Designator:
1.500-11-1/2 npt
Prime Mover Power Rating:
5.000 horsepower
Voltage In Volts:
230.0

NSN 4320-00-199-3899

Rotary Pump Unit - Page 2 of 2



D	haea.	
_	nase:	

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400