NSN 4320-00-202-7352

Axial Pistons Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-202-7352

| Cylinder Quantity: | | | | | | | |
|--|--|--|--|--|--|--|--|
| 9 | | | | | | | |
| Intake Connection Quantity: | | | | | | | |
| 1 | | | | | | | |
| Intake Connection Type: | | | | | | | |
| Unthreaded internal | | | | | | | |
| Discharge Connection Quantity: | | | | | | | |
| 1 | | | | | | | |
| Discharge Connection Type: | | | | | | | |
| Unthreaded internal | | | | | | | |
| Drive Connection Type: | | | | | | | |
| Rigid coupled | | | | | | | |
| Pumping Element Type: | | | | | | | |
| Piston | | | | | | | |
| Maximum Discharge Flow Rate: | | | | | | | |
| 6.0 gallons per minute | | | | | | | |
| Discharge Pressure: | | | | | | | |
| 1500.0 pounds per square inch gage | | | | | | | |
| Operating Speed At Rated Capacity: | | | | | | | |
| 1150.0 revolutions per minute | | | | | | | |
| Pumping Element Operating Position: | | | | | | | |
| Horizontal | | | | | | | |
| Pump Rotation Direction: | | | | | | | |
| | | | | | | | |
| Clockwise | | | | | | | |
| Clockwise Pump Reciprocating Design: | | | | | | | |
| | | | | | | | |
| Pump Reciprocating Design: | | | | | | | |
| Pump Reciprocating Design: Single acting | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: Splined, straight external | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: Splined, straight external Drive Shaft End Diameter: | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: Splined, straight external Drive Shaft End Diameter: 1.312 inches | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: Splined, straight external Drive Shaft End Diameter: 1.312 inches Drive Shaft Length: | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: Splined, straight external Drive Shaft End Diameter: 1.312 inches Drive Shaft Length: 3.125 inches | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: Splined, straight external Drive Shaft End Diameter: 1.312 inches Drive Shaft Length: 3.125 inches Special Features: | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: Splined, straight external Drive Shaft End Diameter: 1.312 inches Drive Shaft Length: 3.125 inches Special Features: Nonmagnetic construction | | | | | | | |
| Pump Reciprocating Design: Single acting Reciprocating Stroke Type: Variable Volume Control Type: Pressure compensation Control Location: Right side Drive Shaft Type: Splined, straight external Drive Shaft End Diameter: 1.312 inches Drive Shaft Length: 3.125 inches Special Features: | | | | | | | |

NSN 4320-00-202-7352

Axial Pistons Pump - Page 2 of 2



| | • • | | | | |
|----|-----|-------------|-----|-----|------|
| In | 18 | <i>(</i>)+ | МЛО | 201 | ure: |
| | | | | | |

--

Demilitarization:

No

Fiig:

A19400