## NSN 4320-00-218-0763

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-218-0763

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Intake Connection Quantity:
1
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Ac
Media For Which Designed:
Oil
Environmental Protection:
Dripproof
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
6.5 gallons per minute
Discharge Pressure:
350.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1800.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Rotary Pump Design:
Vane
Prime Mover Type:
Electric motor
Inclosure Type:
Partially enclosed
Current Rating In Amps:
3.3
Prime Mover Power Rating:
2.000 horsepower
Voltage In Volts:
440.0
TTU.U

## NSN 4320-00-218-0763

Rotary Pump Unit - Page 2 of 2



Р	hase:	

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A19400