

View Online at <https://aerobasegroup.com/nsn/4320-00-226-5642>

**Cylinder Quantity:**

9

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Gear

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Pumping Element Type:**

Piston

**Maximum Discharge Flow Rate:**

8.0 gallons per minute

**Discharge Pressure:**

3000.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

3200.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Pump Reciprocating Design:**

Single acting

**Reciprocating Stroke Type:**

Variable

**Volume Control Type:**

Pressure compensation

**Discharge Connection Thread Size And Series/type Designator:**

0.875-14 unf

**Intake Connection Thread Size And Series/type Designator:**

1.062-12 un

**Special Features:**

W/elec-ric motor, 10.25 hp, ac, 220 v, 3200 rpm, 3 phase, 400 cycles and hydaaulic otl cooled inclosure

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A19400