NSN 4320-00-226-5642

Axial Pistons Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-226-5642

| Cylinder Quantity: |
|---|
| 9 |
| Intake Connection Quantity: |
| 1 |
| Intake Connection Type: |
| Threaded internal |
| Discharge Connection Quantity: |
| 1 |
| Discharge Connection Type: |
| Threaded internal |
| Drive Connection Type: |
| Gear |
| Media For Which Designed: |
| Hydrocarbon fuels and oils |
| Pumping Element Type: |
| Piston |
| Maximum Discharge Flow Rate: |
| 8.0 gallons per minute |
| Discharge Pressure: |
| 3000.0 pounds per square inch gage |
| Operating Speed At Rated Capacity: |
| 3200.0 revolutions per minute |
| Pumping Element Operating Position: |
| Horizontal |
| Pump Rotation Direction: |
| Clockwise |
| Pump Reciprocating Design: |
| Single acting |
| Reciprocating Stroke Type: |
| Variable |
| Volume Control Type: |
| Pressure compensation |
| Discharge Connection Thread Size And Series/type Designator: |
| 0.875-14 unf |
| Intake Connection Thread Size And Series/type Designator: |
| 1.062-12 un |
| Special Features: |
| W/elec-ric motor, 10.25 hp, ac, 220 v, 3200 rpm, 3 phase, 400 cycles and hydaaulic otl cooled inclosure |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| |

NSN 4320-00-226-5642

Axial Pistons Pump - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A19400