## NSN 4320-00-267-3193

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-267-3193

Drive Mover Oversity
Prime Mover Quantity:
1
Stage Quantity:
1
Exhaust Pressure:
15.0 pounds per square inch gage  Intake Connection Quantity:
1
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Media For Which Designed:
Water, salt
Power Drive Operating Pressure:
575.0 pounds per square inch gage
Pump Quantity:
1
Maximum Discharge Flow Rate:
26500.0 gallons per minute
Total Head:
30.000 feet
Operating Speed At Rated Capacity:
840.0 revolutions per minute
Pumping Element Operating Position:
Vertical
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Steam turbine
Reference Number Differentiating Characteristics:
Engine room no. 1
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4320-00-267-3193

Centrifugal Pump Unit - Page 2 of 2



Demilitarization:

No

Fiig:

A19400