NSN 4320-00-267-4498

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-267-4498

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Stage Quantity:
1
Intake Connection Quantity:
1
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Ac
Media For Which Designed:
Water, salt
Environmental Protection:
Dripproof
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
3.3 gallons per minute
Discharge Pressure:
20.0 pounds per square inch gage
Total Head:
43.500 feet
Operating Speed At Rated Capacity:
3500.0 revolutions per minute
Pumping Element Operating Position:
Vertical
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Electric motor

NSN 4320-00-267-4498Centrifugal Pump Unit - Page 2 of 2



Inclosure Type:	
Partially enclosed	
Current Rating In Amps:	
2.2	
Voltage In Volts:	
440.0	
Phase:	
Three	
Special Features:	
Non-magnetic materials	
Frequency In Hertz:	
60.0	
Reference Number Differentiating Characteristics:	
Provided w/controller	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
Δ19400	