## NSN 4320-00-267-5041

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-267-5041

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Mounting Type:
Base
Intake Connection Quantity:
1
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Dc
Media For Which Designed:
Oil
Environmental Protection:
Dripproof
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
60.0 gallons per minute
Discharge Pressure:
50.0 pounds per square inch gage
Operating Speed At Rated Capacity:
525.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Rotary Pump Design:
Vane
Prime Mover Type:
Electric motor
Inclosure Type:
Partially enclosed
Current Rating In Amps:
20.0
Prime Mover Power Rating:
Tank mover ower rading.

5.000 horsepower

## NSN 4320-00-267-5041

Rotary Pump Unit - Page 2 of 2



voltage in volts:
230.0
Reference Number Differentiating Characteristics:
As differentiated by w/power unit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A19400