NSN 4320-00-275-2331

Rotary Pump - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-00-275-2331

| Intake Connection Type: Unthreaded internal Discharge Connection Quantity: Discharge Connection Type: Round flange Drive Connection Type: Chain Media For Which Designed: Oil Maximum Discharge Flow Rate: |
|---|
| Unthreaded internal Discharge Connection Quantity: 1 Discharge Connection Type: Round flange Drive Connection Type: Chain Media For Which Designed: Oil |
| Discharge Connection Quantity: 1 Discharge Connection Type: Round flange Drive Connection Type: Chain Media For Which Designed: Oil |
| Discharge Connection Type: Round flange Drive Connection Type: Chain Media For Which Designed: Oil |
| Discharge Connection Type: Round flange Drive Connection Type: Chain Media For Which Designed: Oil |
| Round flange Drive Connection Type: Chain Media For Which Designed: Oil |
| Drive Connection Type: Chain Media For Which Designed: Oil |
| Chain Media For Which Designed: Oil |
| Media For Which Designed: Oil |
| Oil |
| |
| Maximum Discharge Flow Rate: |
| |
| 840.0 gallons per minute |
| Discharge Pressure: |
| 50.0 pounds per square inch gage |
| Operating Speed At Rated Capacity: |
| 1450.0 revolutions per minute |
| Pumping Element Operating Position: |
| Vertical |
| Pump Rotation Direction: |
| Clockwise |
| Rotary Pump Design: |
| Screw |
| Operation Method: |
| Powered |
| Reference Number Differentiating Characteristics: |
| As differentiated by port and starboard unit at frame no. 89 |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A19400 |