

View Online at <https://aerobasegroup.com/nsn/4320-00-368-3186>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Stage Quantity:**

1

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Current Type:**

Ac

**Media For Which Designed:**

Water, salt

**Environmental Protection:**

Submersible

**Pump Quantity:**

1

**Cooling Method:**

Self ventilated

**Maximum Discharge Flow Rate:**

180.0 gallons per minute

**Total Head:**

50.000 feet

**Operating Speed At Rated Capacity:**

3450.0 revolutions per minute

**Pumping Element Operating Position:**

Vertical

**Centrifugal Pump Design:**

Radial flow

**Centrifugal Pump Impeller Quantity:**

1

**Centrifugal Pump Impeller Suction Type:**

Single

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Current Rating In Amps:**

7.5

**Discharge Connection Thread Size And Series/type Designator:**

2.500-7 1/2 nh

**Intake Connection Thread Size And Series/type Designator:**

2.500-7 1/2 nh

**Voltage In Volts:**

440.0

**Phase:**

Three

**Special Features:**

Controller has magnetic casing, unit will operate in horizontal or any midway position

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400