

View Online at <https://aerobasegroup.com/nsn/4320-00-376-6973>

**Prime Mover Quantity:**

1

**Stage Quantity:**

1

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded external

**Media For Which Designed:**

Water, fresh

**Power Drive Operating Pressure:**

90.0 pounds per square inch gage

**Pump Quantity:**

1

**Maximum Discharge Flow Rate:**

150.0 gallons per minute

**Total Head:**

150.000 feet

**Operating Speed At Rated Capacity:**

3700.0 revolutions per minute

**Pumping Element Operating Position:**

Vertical

**Centrifugal Pump Design:**

Mixed flow

**Centrifugal Pump Impeller Quantity:**

1

**Centrifugal Pump Impeller Suction Type:**

Single

**Prime Mover Type:**

Pneumatic motor

**Discharge Connection Thread Size And Series/type Designator:**

2.500-7-1/2 nh

**Features Provided:**

Self-priming

**Special Features:**

Submersible type intake opening, 6.000 in. Diameter w/integral strainer

**Specification Or Standard:**

11 grade

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400