NSN 4320-00-376-6973

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-376-6973

| Prime Mover Quantity: |
|---|
| 1 |
| |
| Stage Quantity: 1 |
| Discharge Connection Quantity: |
| 1 |
| Discharge Connection Type: |
| Threaded external |
| Media For Which Designed: |
| Water, fresh |
| Power Drive Operating Pressure: |
| 90.0 pounds per square inch gage |
| Pump Quantity: |
| 1 |
| Maximum Discharge Flow Rate: |
| 150.0 gallons per minute |
| Total Head: |
| 150.000 feet |
| Operating Speed At Rated Capacity: |
| 3700.0 revolutions per minute |
| Pumping Element Operating Position: |
| Vertical |
| Centrifugal Pump Design: |
| Mixed flow |
| Centrifugal Pump Impeller Quantity: |
| 1 |
| Centrifugal Pump Impeller Suction Type: |
| Single |
| Prime Mover Type: |
| Pneumatic motor |
| Discharge Connection Thread Size And Series/type Designator: |
| 2.500-7-1/2 nh |
| Features Provided: |
| Self-priming |
| Special Features: |
| Submersible type intake opening, 6.000 in. Diameter w/integral strainer |
| Specification Or Standard: |
| 11 grade |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 4320-00-376-6973

Centrifugal Pump Unit - Page 2 of 2



Demilitarization:

No

Fiig:

A19400