

View Online at <https://aerobasegroup.com/nsn/4320-00-400-3153>

Intake Connection Quantity:

1

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

2

Discharge Connection Type:

Threaded internal

Drive Connection Type:

Close coupled

Media For Which Designed:

Hydrocarbon fuels and oils

Maximum Discharge Flow Rate:

6.6 gallons per minute

Discharge Pressure:

700.0 pounds per square inch gage

Operating Speed At Rated Capacity:

4080.0 revolutions per minute

Pumping Element Operating Position:

Vertical

Pump Rotation Direction:

Counterclockwise

Rotary Pump Design:

Gear

Operation Method:

Powered

Drive Shaft Type:

Splined, straight external

Drive Shaft End Diameter:

Between 0.456 inches and 0.458 inches

Drive Shaft Length:

Between 0.852 inches and 0.912 inches

Discharge Connection Thread Size And Series/type Designator:

0.750-18 unf and 0.375-24 unf

Intake Connection Thread Size And Series/type Designator:

0.750-16 unf

Reference Number Differentiating Characteristics:

As differentiated by source control drawing number 5003t42p02

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A19400