

View Online at <https://aerobasegroup.com/nsn/4320-00-406-0083>

Intake Connection Quantity:

3

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

3

Discharge Connection Type:

Threaded internal

Drive Connection Type:

Close coupled

Media For Which Designed:

Hydrocarbon fuels and oils

Maximum Discharge Flow Rate:

45.0 gallons per minute and 9.5 gallons per minute and 4.0 gallons per minute

Discharge Pressure:

60.0 pounds per square inch gage and 30.0 pounds per square inch gage

Suction Lift:

6.000 feet

Operating Speed At Rated Capacity:

1750.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Pump Rotation Direction:

Clockwise

Rotary Pump Design:

Gear

Operation Method:

Powered

Drive Shaft Type:

Key type, internal

Drive Shaft Length:

Between 0.910 inches and 0.940 inches

Discharge Connection Thread Size And Series/type Designator:

1.062-12 unf and 1.875-12 unf and 0.750-16 unf

Intake Connection Thread Size And Series/type Designator:

1.062-12 unf and 1.875-12 unf and 0.750-16 unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A19400