## NSN 4320-00-409-0033

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-409-0033

Prime Mover Quantity			
Prime Mover Quantity:			
Prime Mover Cooling Medium:			
Air			
Stage Quantity:			
1			
Discharge Connection Quantity:			
1			
Discharge Connection Type:			
Threaded internal			
Current Type:			
Ac			
Media For Which Designed:			
Water, fresh			
Environmental Protection:			
Waterproof			
Pump Quantity:			
1			
Cooling Method:			
Self ventilated			
Operating Speed At Rated Capacity:			
1725.0 revolutions per minute			
Pumping Element Operating Position:  Vertical			
Centrifugal Pump Design:  Mixed flow			
Centrifugal Pump Impeller Quantity:			
1			
Centrifugal Pump Impeller Suction Type:			
Single			
Prime Mover Type:			
Electric motor			
Inclosure Type:			
Fully enclosed			
Current Rating In Amps:			
5.9			
Discharge Connection Thread Size And Series/type Designator:			
1.250-11-1/2 npt			
Prime Mover Power Rating:			
0.333 horsepower			
Voltage In Volts:			
115.0			

## NSN 4320-00-409-0033

Centrifugal Pump Unit - Page 2 of 2



P	ha	80	
	нa	3C	-

Single

Frequency In Hertz:

60.0

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A19400