

View Online at <https://aerobasegroup.com/nsn/4320-00-443-1214>

**Prime Mover Quantity:**

1

**Stage Quantity:**

1

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Round flange

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Round flange

**Media For Which Designed:**

Water, salt

**Power Drive Operating Pressure:**

575.0 pounds per square inch gage

**Pump Quantity:**

1

**Maximum Discharge Flow Rate:**

25000.0 gallons per minute

**Total Head:**

30.300 feet

**Operating Speed At Rated Capacity:**

825.0 revolutions per minute

**Pumping Element Operating Position:**

Vertical

**Centrifugal Pump Design:**

Axial flow

**Centrifugal Pump Impeller Quantity:**

1

**Centrifugal Pump Impeller Suction Type:**

Single

**Prime Mover Type:**

Steam turbine

**Features Provided:**

Self-priming

**Specification Or Standard:**

1 type

**Reference Number Differentiating Characteristics:**

W/whiton machine co. Turbine, dwg no. Nh-7327

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400