## NSN 4320-00-449-2196

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-449-2196

| Prime Mover Quantity:               |
|-------------------------------------|
| 1                                   |
| Prime Mover Cooling Medium:         |
| Air                                 |
| Mounting Type:                      |
| Base                                |
| Intake Connection Quantity:         |
| 1                                   |
| Intake Connection Type:             |
| Threaded internal                   |
| Discharge Connection Quantity:      |
| 1                                   |
| Discharge Connection Type:          |
| Threaded internal                   |
| Current Type:                       |
| Dc                                  |
| Media For Which Designed:           |
| Hydrocarbon fuels and oils          |
| Pump Quantity:                      |
| 1                                   |
| Maximum Discharge Flow Rate:        |
| 0.1 gallons per minute              |
| Discharge Pressure:                 |
| 25.0 pounds per square inch gage    |
| Operating Speed At Rated Capacity:  |
| 12000.0 revolutions per minute      |
| Pumping Element Operating Position: |
| Horizontal                          |
| Rotary Pump Design:                 |
| Cam and piston                      |
| Operation Relationship Design:      |
| Simultaneous                        |
| Prime Mover Type:                   |
| Electric motor                      |
| Prime Mover Power Rating:           |
| 0.013 horsepower                    |
| Voltage In Volts:                   |
| 27.0                                |
| Shelf Life:                         |
| N/a                                 |
| Unit Of Measure:                    |
|                                     |

## NSN 4320-00-449-2196

Rotary Pump Unit - Page 2 of 2



Demilitarization:

No

Fiig:

A19400