NSN 4320-00-450-9311

Rotary Pump - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-00-450-9311

Intake Connection Quantity:
Intake Connection Type:
Unthreaded external
Discharge Connection Quantity:
1
Discharge Connection Type:
Unthreaded external
Drive Connection Type:
V-belt
Media For Which Designed:
Hydrocarbon fuels and oils
Maximum Discharge Flow Rate:
5.2 gallons per minute
Discharge Pressure:
50.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1500.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Honzontal
Pump Rotation Direction:
Pump Rotation Direction: Clockwise
Clockwise
•
Clockwise Rotary Pump Design: Vane
Clockwise Rotary Pump Design:
Clockwise Rotary Pump Design: Vane Operation Method: Powered
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type:
Clockwise Rotary Pump Design: Vane Operation Method: Powered
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.624 inches and 0.625 inches
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter:
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.624 inches and 0.625 inches Drive Shaft Length:
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.624 inches and 0.625 inches Drive Shaft Length: 1.380 inches
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.624 inches and 0.625 inches Drive Shaft Length: 1.380 inches Shelf Life:
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.624 inches and 0.625 inches Drive Shaft Length: 1.380 inches Shelf Life: N/a
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.624 inches and 0.625 inches Drive Shaft Length: 1.380 inches Shelf Life: N/a Unit Of Measure:
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.624 inches and 0.625 inches Drive Shaft Length: 1.380 inches Shelf Life: N/a Unit Of Measure:
Clockwise Rotary Pump Design: Vane Operation Method: Powered Drive Shaft Type: Threaded and woodruff keyway Drive Shaft End Diameter: Between 0.624 inches and 0.625 inches Drive Shaft Length: 1.380 inches Shelf Life: N/a Unit Of Measure: Demilitarization: