

View Online at https://aerobasegroup.com/nsn/4320-00-477-1872

# Body Material:

Aluminum alloy

First End Outside Diameter:

0.385 inches

## **Mounting Provision:**

Unthreaded mounting holes

#### **Tempurature Rating:**

Not rated

#### Bore Diameter:

0.750 inches

#### **Body Outside Diameter:**

0.875 inches

#### Seat Angle In Deg:

30.0

#### First End External Thread Length:

### 0.520 inches

#### Compressed Length:

10.520 inches

#### **Extended Length:**

17.500 inches

### Mounting Provision Arrangement Style:

Two hole

### Pressure Rating:

Not rated

#### Integral Valve Operation Method:

Hydraulic

#### Design Characteristics:

Single acting single cylinder

#### First Piston Rod End Style:

External threaded

#### First Piston Rod End Thread Series Designator:

Unf

## First Piston Rod End Thread Diameter:

0.312 inches

## First Piston Rod End Thready Qty Per Inch (tpi):

24

## First Piston Rod End Thread Class:

2a

## First Piston Rod End Thread Direction:

Right-hand

## Mounting Type And Location:

Lug piston rod end

Linear Actuating Cylinder Assembly - Page 2 of 2



Mounting Facility Diameter:

0.180 inches

Center To Center Distance Between Mounting Provisions:

0.842 inches

Port Location And Quantity:

1 piston rod end

Port Style:

Gasket seal

Port Thread Series Designator:

Npt

Port Pipe Thread Size:

0.125 inches

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A34200