## NSN 4320-00-491-3019

Rotary Pump - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-00-491-3019

Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Drive Connection Type:
Flexible coupled
Media For Which Designed:
Hydrocarbon fuels and oils
Maximum Discharge Flow Rate:
0.1 gallons per minute
Discharge Pressure:
100.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1725.0 revolutions per minute
Pump Rotation Direction:
Clockwise
Rotary Pump Design:
Rotary Pump Design: Gear
Gear
Gear Operation Method:
Gear Operation Method: Powered
Gear Operation Method: Powered Drive Shaft Length:
Gear Operation Method: Powered Drive Shaft Length: 1.062 inches
Gear Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator:
Gear Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf
Gear Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator:
Gear Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator: 0.250-18 nptf
Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator: 0.250-18 nptf Special Features:
Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator: 0.250-18 nptf Special Features: Furnished with 1 ea flex coupling, 1 ea tube assembly, 3 ea elbow
Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator: 0.250-18 nptf Special Features: Furnished with 1 ea flex coupling, 1 ea tube assembly, 3 ea elbow Shelf Life:
Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator: 0.250-18 nptf Special Features: Furnished with 1 ea flex coupling, 1 ea tube assembly, 3 ea elbow Shelf Life: N/a
Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator: 0.250-18 nptf Special Features: Furnished with 1 ea flex coupling, 1 ea tube assembly, 3 ea elbow Shelf Life: N/a Unit Of Measure:
Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator: 0.250-18 nptf Special Features: Furnished with 1 ea flex coupling, 1 ea tube assembly, 3 ea elbow Shelf Life: N/a Unit Of Measure:
Operation Method: Powered Drive Shaft Length: 1.062 inches Discharge Connection Thread Size And Series/type Designator: 0.125-27 nptf Intake Connection Thread Size And Series/type Designator: 0.250-18 nptf Special Features: Furnished with 1 ea flex coupling, 1 ea tube assembly, 3 ea elbow Shelf Life: N/a Unit Of Measure: Demilitarization: