NSN 4320-00-503-3799

Centrifugal Pump Unit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-00-503-3799

Prime Mover Quantity: 1 Current Type: Ac Media For Which Designed: Water, fresh Pump Quantity: 1 Maximum Discharge Flow Rate: 675.0 gallons per minute Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life:
Media For Which Designed: Water, fresh Pump Quantity: 1 Maximum Discharge Flow Rate: 675.0 gallons per minute Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Media For Which Designed: Water, fresh Pump Quantity: 1 Maximum Discharge Flow Rate: 675.0 gallons per minute Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Water, fresh Pump Quantity: 1 Maximum Discharge Flow Rate: 675.0 gallons per minute Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Pump Quantity: 1 Maximum Discharge Flow Rate: 675.0 gallons per minute Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Maximum Discharge Flow Rate: 675.0 gallons per minute Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Maximum Discharge Flow Rate: 675.0 gallons per minute Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
675.0 gallons per minute Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Discharge Pressure: 60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
60.0 pounds per square inch gage Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Pumping Element Operating Position: Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Horizontal Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Prime Mover Type: Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Electric motor Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
Voltage In Volts: 440.0 Phase: Three Frequency In Hertz: 60.0
440.0 Phase: Three Frequency In Hertz: 60.0
Phase: Three Frequency In Hertz: 60.0
Three Frequency In Hertz: 60.0
Frequency In Hertz: 60.0
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A19400